



IPW

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re Patent Application of

SUGAWARA

Atty. Ref.: 925-348

Serial No. 10/588,523

Group: 2826

Filed: August 7, 2006

Examiner: Tran, T.N.

For: HIGH-WITHSTAND VOLTAGE WIDE-GAP  
SEMICONDUCTOR DEVICE AND POWER DEVICE

\* \* \* \* \*

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

## **REQUEST FOR TRANSFER OF INCORRECTLY CAPTIONED PAPERS TO CORRECT FILE AND WITHDRAWAL OF SAME FROM INCORRECT FILE**

Two documents intended for the captioned application (10/588,523) have been filed bearing an incorrect but similar serial number, i.e., Application Serial No. 11/588,523. Those two documents are (1) Information Disclosure Statement (IDS) filed May 6, 2007; and (2) an Election Under 35 USC 121 timely filed March 19, 2008 (filed responsive to the office action mailed February 26, 2008).

The assignees and subject matters of the captioned 10/588,523 application and the 11/588,523 application are different.


The undersigned regrets the confusion and respectfully requests that the two documents and all references cited in the IDS filed May 6, 2007, be withdrawn in application serial number 11/588,523 and transferred to application serial number 10/588,523. It is the undersigned's understanding that when one item of captioned information is incorrect but yet the US Patent Office can ascertain the correct application information from other information in the caption, the US Patent Office is to make the transfer without prejudice to applicant.

SUGAWARA  
Serial No. 10/588,523

In the alternative, if transfer cannot or does not occur, the undersigned requests entry (in the file of application serial number 10/588,523) of duplicates of the Election Under 35 USC 121 and Information Disclosure Statement (IDS), originals of which (dated today) are attached.

Respectfully submitted,  
NIXON & VANDERHYE P.C.

June 4, 2008

By:   
H. Warren Burnam, Jr.  
Reg. No. 29,366

HWB:lsh  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100